

Supporting a Better Tomorrow...One Person at a Time

Mississippi Department of Mental Health (DMH)

Provider Submission Guide – Service Event

Last Revision Date: 4/21/2020

Table of Contents

Version	Control		3
1 Sei	rvice Eve	nt Data Set	3
1.1	Submi	tting Service Event Data	3
		e Event Domain Diagram	
1.3		e Event Entities	
1.3		erviceEvent	
1.3			
:	1.3.1.1	Description	4
:	1.3.1.2	Key Fields	4
	1.3.1.3	Fields	5

Version Control

Date	Version	Author(s)	Brief Description of Change
1/13/2020	1.0	Savi Sahni	Initial Draft
4/21/2020	1.1	Shelby Maloney	Added Version Control

1 Service Event Data Set

1.1 Submitting Service Event Data

Service Event data must be submitted for all clients served.

Provider Treatment Episode information must already exist in the Data Warehouse before Service Event data can be submitted.

Service Event data should be re-submitted after any part of the Service Event needs to be added, changed, or removed.

1.2 Service Event Domain Diagram

The following diagram depicts the relationships between all objects in the Service Event domain in the Data Warehouse.

ServiceEvent

1.3 Service Event Entities

This section defines the entities involved in the Service Event data set.

The Service Event data set is used at the state level to collect and report the types and frequency of services provided in provider agencies to specific individuals.

Service Event data set is a critical component for supporting billing and payment processes and for being able to identify how services impacted treatment episode outcomes.

1.3.1 ServiceEvent

1.3.1.1 Description

A Service Event represents a specific treatment encounter for a client with a substance use, mental health, or other disorder, in a provider site as part of their treatment program. A Service Event will be uniquely identified in the Data Warehouse by the combination of the Provider's Source Record Identifier for the Service Event and the Source Record Identifier for the Provider. Providers are required to submit a unique Source Record Identifier for each Service Event within each Provider. Therefore, no two Service Event records can be submitted with the same Service Event Source Record Identifier and Provider Source Record Identifier combination.

1.3.1.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field

Source Record Identifier

Provider Source Record Identifier

1.3.1.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules			
Source Record	The provider's internal	Data Type Valid	ation		
Identifier	system identifier for the Service Event record.	Data Type	Message		
		string	Failed parsing value to type	string	
		Length Validation	on		
		Max Length	Message		
		100	Value length must be less th	an or equal to	o '100'
		Errors			
		Rule Name	IV	lessage	Additional Values in Message
		Source Record Identifier Required Rule Source Record Identifier is required			Identifier is required
		Guidance			
		Note			
		unique and ned does not have	ver changes. Examples of uniqu	ie identifiers a constructed.	this record in the source system. It must be a value that is are Identity, AutoNumber or GUID. If the source system A constructed SourceRecordIdentifier might contain the arated by a delimiter.
Provider Source	The provider's internal	Data Type Valid	ation		
Record Identifier	system identifier for the Provider record this Service	Data Type	Message		
		string	Failed parsing value to type	string	
		Linkage Validati	on		
		Description		Required	Message
			e Source Record Identifier for er already set up in the	Yes	Cannot find matching 'Provider'

		Mississippi Da	ta Warehouse		
Episode Source	The provider's internal system identifier for the Provider Treatment Episode	Data Type Validation			
Record Identifier		Data Type	Message		
	record this Service Event is associated with.	string Failed parsing value to type string			
	associated with.				
		Linkage Validation			
		a single Provider Treatment Episode already OR		Message	
set up in the Data Warehouse for Provider identified by the Service Provider Source Record Identifier		tified by the Service Event's		Cannot find matching 'ProviderTreatmentEpisode' because cannot find matching parent 'Provider'	
Admission	The provider's internal system identifier for the Admission this Service Event is associated with.	Data Type Valid	lation		
Source Record Identifier		Data Type	Message		
		string Failed parsing value to type string			
		Linkage Validation			
		Description		Required	Message
		a single Admis Warehouse fo Service Event' Identifier and Episode identi	ne Source Record Identifier for ssion already set up in the Data r the Provider identified by the s Provider Source Record for the Provider Treatment ified by the Service Event's e Record Identifier	Yes	Cannot find matching 'Admission' OR Cannot find matching 'Admission' because cannot find matching parent 'ProviderTreatmentEpisode'
Service Code	The code indicating the	Data Type Valid	lation		
	service that is being provided to the client.	Data Type	Message		
		string	Failed parsing value to type st	ring	
		Vocabulary Validation			

		Rule	Message	
		Must be a valid Vocabulary value from the Unknown code for type Mississippi Code System, for the Service Value Set		,
		Errors		
		Rule Name	Message	Additional Values in Message
		Service Code Required Rule	Service Code is required	
Start Date	Date the service began.	Data Type Validation		
		Data Type Message	Note	
		date Failed parsing value to type	Date Refer to the Appendix docum	nent for Common Data Types .
		Errors		
		Rule Name	Message	Additional Values in Message
		Start Date Required Rule	Start Date is required	
		Start Date Must Be Less Than Or Equal To Current Date Rule	Start Date must be less than or equal to the current date	
		Start Date Must Be Greater Than Or Equal To Admission Date Rule	Start Date must be greater than or equal to the Admission Date.	
		Start Date Must Be Less Than Or Equal To End Date Rule	Start Date must be less than or equal to the End Date	
End Date	Date the service ended.	Data Type Validation		
		Data Type Message	Note	
		date Failed parsing value to type	Pate Refer to the Appendix docum	nent for Common Data Types .
		Errors		
		Rule Name	Message	Additional Values in Message
		End Date Required Rule	End Date is required	
		End Date Must Be Less Than Or Equal To Current Date Rule	End Date must be less than or equal to the current date	
		End Date Must Be Greater Than Or	End Date must be greater than or equal	
			<u> </u>	

		Equal To Admission Date Rule	to the Admission Date.			
Start Time	Time the service began in	Data Type Validation				
	HHMM (24 hour) format.	Data Type Message				
		string Failed parsing value to t	ype string			
		Errors				
		Rule Name	Message	Additional Values in Message		
		Start Time Must Match Valid Format Rule	Start Time must match HHMM format where HH is the 2-digit hour in 24 hour format and MM is the 2-digit minute			
		Start Time Must Be Less Than Or Equal To End Time Rule	Start Time must be less than or equal to the End Time			
		Guidance				
		Note				
- IT:	·	Optional				
End Time	Time the service ended in HHMM (24 hour) format.	Data Type Validation				
		Data Type Message				
		string Failed parsing value to t	ype string			
		Errors				
		Rule Name	Message	Additional Values in Message		
		End Time Must Match Valid Format Rule	End Time must match HHMM format where HH is the 2-digit hour in 24 hour format and MM is the 2-digit minute			
		Guidance				
		Note				
		Optional				
Session Count	A number indicating how	Data Type Validation				

many times the client
received the provided service
during the specified date
range.

Data Type	Message
integer	Failed parsing value to type integer

Errors

Rule Name	Message	Additional Values in Message
Session Count Required Rule	Session Count is required	
Session Count Must Be Valid Value Rule	Session Count must be a valid integer greater than zero	

Evidence Based Practices Code

The code indicating whether any evidence-based practices were conducted.

Data Type Validation

Data Type	Message
string	Failed parsing value to type string

Vocabulary Validation

Rule	Message
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'

Errors

Rule Name	Message	Additional Values in Message
Evidence Based Practices Code Required Rule	Evidence Based Practices Code is required	